

Name License No.			Date	3/3/25							
		inspection Sheet Mileage/km Macan									
VIN		WP1AB2A58LLB34213	as of 201 Repair deler								
Inspection			00 miles/30,000, 60,000, 90,000, 120,0 maintenance tasks, see PIWIS Information		hop M	anual).					
Note		years at the latest. The term 'checking' includes all ne	not reached, an inspection must be carried ecessary subsequent work, such as adjustr pping up, but does not include repairs, rep	ments,		Every 20 tmls/30 tkm or 2 years	Every 30 tmls/45 tkm or 4 years	Every 40 tmls/60 tkm or 4 years	Every 80 tmls/120 tkm or 4 years	Every 160 tmls/240 tkm or 16 years	oendent
		Measures			Macan	Every 20	Every 30	Every 40	Every 80	Every 160	Time-dependent
	Electronics	Windshield wiper/washer system: c	heck function and nozzle settings		•						
		Horn: check function			•	\Box					
		Tires: check tire pressure (TPM)			•	$\dot{\Box}$					
		Diagnostic system: read out fault mo maintenance interval	emory and transfer gear wear integrator; r	eset	•						
	Inside the vehicle	Pollen filter: replace filter element			•						
		Seat belts: check function and cond	ition		•	_					
	Outside the vehicle	Check wiper blades			•						
		All headlights: check adjustment			•						
		Tires and spare wheel: check conditi	ion		•	$\overline{\Box}$					
		Brake system: check brake pads and	d brake discs for wear (without removing v	vheels)	•						
		Brake system: check brake pads and	d brake discs for wear		•						
		Vehicles with PCCB: PCCB Brake dis service and whenever brakes pads a VAS 6813	scs must be checked for wear during every are replaced using special tool	/	•						
		Trailer hitch: check function			•						
		Lubricate door arrester and fastenin	g bolts		•						



Inspection Sheet Macan as of 2019 model Measures			Macan	Every 20 tmls/30 tkm or 2 years	Every 30 tmls/45 tkm or 4 years	Every 40 tmls/60 tkm or 4 years	Every 80 tmls/120 tkm or 4 years	Every 160 tmls/240 tkm or 16 years	Time-dependent
	Outside the vehicle	Radiators and air intakes: visual inspection for external contamination and blockage Check front firewall body drains for debris (every 10 tmls or 1 year)	•						
The state of the s	Under the vehicle	Underbody panels: visual inspection for completeness, secure installation and damage Drain engine oil (See separate Oil Maintenance Sheet PNA 000 162 NE) Visual inspection for leaks from underneath (oils and other fluids) Brake lines: visual inspection for damage, routing and corrosion Brake hoses: visual inspection for damage Drive shafts: visual inspection of the boots for leaks and damage Cardan shaft: visual inspection of the rubber bellows for damage Steering gear: visual inspection of the bellows for damage Tie rod joints: check play and dust bellows Axle joints: check the play and visually inspect the dust boots for damage Exhaust system: visual inspection for leaks and damage, check engine mount PDK transmission: change oil and filter All-wheel final drive: change oil Rear final drive: change oil							
	Engine compartment	Change oil filter (See separate Oil Maintenance Sheet PNA 000 162 NE) Fill in engine oil Windshield wiper/washer system: check fluid level; check window cleaner and antifreeze, depending on time of year, only use windshield cleaners approved by Porsche Coolant: check level and antifreeze Check drive belt (only if vehicle is used for off-road driving) Visual inspection for leaks from above (oils and other fluids) Fuel lines and connections: visual inspection Replace spark plugs							



Inspection Sheet Macan as of 2019 model Every 160 tmls/240 tkm or 16 years Every 80 tmls/120 tkm or 4 years Every 20 tmls/30 tkm or 2 years Every 30 tmls/45 tkm or 4 years Every 40 tmls/60 tkm or 4 years Time-dependent Macan Measures compartment Engine Air cleaner: replace filter element Additional work every 2 years Change brake fluid (use only original Porsche brake fluid) Tire sealing compound: check use-by date and replace if necessary Remote control, front seats, electric parking brake and footbrake, engine, transmission, Test drive steering, ParkAssist, cruise control, PSM switch, heating, sports exhaust system, air conditioning and instruments: check function Oils, fluids: visual inspection for leaks

Porsche Dealer Stamp

Signature (technician):